

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((("20020166063") or ("7010698")). PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/07/23 07:37
L2	26	unreachable with message same decoy or honeypot and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/23 07:58
L3	0	unreachable with message same (decoy or honeypot) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/23 07:58
L4	377	726/22.ccls. and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/23 08:25
L5	202	726/11.ccls. and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/23 08:25
L6	635	713/182.ccls. and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/23 08:25
L7	232	713/187.ccls. and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/23 08:25
L8	204	713/188.ccls. and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/23 08:25
L9	3	713/182.ccls. and (decoy or honeypot) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/23 08:26
L10	86	713/182.ccls. and firewall and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/23 08:26
S1	3	firewall same honeypot and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/23 08:24

## EAST Search History

S2	3	firewall same intrusion with detection with decoy and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/10 14:38
S3	5	firewall same decoy and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/13 15:03
S4	1	("2002157002").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/07/13 15:03
S5	1	("20020157002").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/07/16 11:24
S6	1	("20040168077").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/07/17 13:47
S7	1	("20040172557").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/07/17 13:47
S8	0	packet with filter same honeypot and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 14:53
S9	0	packet with filter\$4 same honeypot and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 14:54
S10	8	packet with filter\$4 same decoy and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 15:04
S11	3	header same rout\$5 same decoy and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/23 07:57
S12	1	source with destination same (honeypot or decoy) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 15:16
S13	526	firewall same packet with filter and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 15:16

## EAST Search History

S14	55	firewall same packet with filter same header and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 10:47
S15	27	source same firewall same packet with filter same header and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 15:35
S16	3	IDS same firewall same packet with filter same header and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 15:35
S17	0	virus same firewall same packet with filter same header and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 15:35
S18	1	malicious\$4 same firewall same packet with filter same header and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 15:58
S19	0	forward with IDS same firewall same packet with filter same header and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 15:58
S20	0	forward with IDS same firewall same filter and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 15:58
S21	32	IDS same firewall same filter and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 16:29
S22	2	honeypot with IDS and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 16:32
S23	1	honeypot with virus and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 16:33
S24	13	honeypot with intrusion and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 16:35
S25	615	(honeypot or decoy) with (intrusion or IDS or virus or malicious\$5 or attack or detect\$5) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 16:38

## EAST Search History

S26	27	("726"/\$.ccls. or "713"/\$.ccls) and (honeypot or decoy) with (intrusion or IDS or virus or malicious\$5 or attack or detect\$5) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/17 16:39
S27	8	drop same source same firewall same packet with filter same header and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 10:57
S28	8	drop same firewall same packet with filter same header and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 10:57
S29	0	external same drop same firewall same packet with filter same header and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 10:57
S30	0	external same drop same firewall same packet same header and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 10:57
S31	0	rop same firewall same packet same header and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 10:57
S32	14	drop same firewall same packet same header and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 11:01
S33	31844	726/11.ccls. ACL packet same source and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 11:04
S34	24975	726/11.ccls. and ACL packet same source and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 11:04
S35	2	726/11.ccls. and ACL same packet same source and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 11:09
S36	3419	726/11.ccls. packet same source same forward and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 11:09
S37	22	726/11.ccls. and packet same source same forward and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:09

## EAST Search History

S38	0	726/11.ccls. and packet same source same forward same quarantine and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 11:19
S39	0	726/11.ccls. and packet same source same forward same Quarantine and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 11:19
S40	0	726/11.ccls. and packet same source same forward same quarantin\$4 and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 11:19
S41	0	726/11.ccls. and forward same quarantin\$4 and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 11:19
S42	1	726/11.ccls. and router same acl same IDS same forward and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:10
S43	0	726/11.ccls. and (firewall or router or gateway) same filter same IDS same forward and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:11
S44	1	"713"/\$.ccls. and (firewall or router or gateway) same filter same IDS same forward and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:37
S45	49	(firewall or router or gateway) same packet same forward same (intrusion or attack) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:35
S46	287	access with control same virus and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:36
S47	0	"713"/\$.ccls. and (firewall or router or gateway) same forward same (honey\$4 or decoy) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:37
S48	2	"713"/\$.ccls. and (firewall or router or gateway) same (honey\$4 or decoy) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:37
S49	2	(firewall or router or gateway) same forward same (honey\$4 or decoy) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:38

## EAST Search History

S50	0	(firewall or router or gateway) same forward same (honeypot or decoy) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:38
S51	17	(firewall or router or gateway) same (honeypot or decoy) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:43
S52	20	(firewall or router or gateway) same forward same virus and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:45
S53	12	(firewall or router or gateway) same forward same malicio\$5 and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:46
S54	107	access with control with header same (IDS or virus\$3 or maliciou\$3) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:47
S55	22	access with control with header same source same (IDS or virus\$3 or maliciou\$3) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 13:48
S56	0	access with control with header same source same (intrusion or virus\$3 or maliciou\$3) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 17:55
S57	8	access with control with source same (intrusion or virus\$3 or maliciou\$3) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 14:06
S58	10	(honeypot or decoy) same detect same attack and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 14:11
S59	392	(honeypot or decoy) same (intrusion or virus) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 14:11
S60	5	"713"/\$.ccls. and (honeypot or decoy) same (intrusion or virus) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 14:19
S61	19	"726"/\$.ccls. and (honeypot or decoy) same (intrusion or virus) and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 14:19

## EAST Search History

S62	1	("20040148520").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/07/18 15:36
S63	10	honeypot same attack and @ad<"20020820"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/18 17:56